



**REISS AUDIO**

*Since 1985*



2026



# Reis A.Ş





*Since 1985*

 **REISS AUDIO**

**Reiss Audio** has been the leading manufacturer for subwoofers with large surrounds. Today the company with its worldwide distribution in more than 20 countries offers a complete range of over 500 car hifi products all developed in Turkey.

The Reiss Audio brand, which is trademarked world-wide, is one of the world's most respected names in car hifi. The best evidence is provided by comparison-tests in independent trade magazines in which the reiss audio products have consistently placed by the winner's circle with best ratings for price/ performance, features and quality. Reiss Audio aim to satisfy consumer's needs and their targets, has been in car audio since 1985. We are looking forward to cooperate with you in your market and give you best result.

Global Partnership  
**EMMA**  
european mobile media association

[www.reissaudio.com.tr](http://www.reissaudio.com.tr)

 [reiss.audio.official](https://www.instagram.com/reiss.audio.official)  [reisgroup](https://www.tiktok.com/reisgroup)  [reisgroup](https://www.youtube.com/reisgroup)

# ***SUBWOOFER***



# SUBWOOFER

## RANGE SERIES



- Aluminium Gasket
- Aluminium Basket
- Foam Surround

- Carbon Fibre Dustcap
- Carbon Fibre Cone

SPECIFICATIONS	RS-RANGE18	RS-RANGE15	RS-RANGE12
Size (inc)	18"	15"	12"
RMS Power	5000 W	4000 W	3500 W
Impedance	D1/D2 Ohm	D1/D2 Ohm	D1/D2 Ohm
Voice Coil Size	4" Black CCAW	4" Black CCAW	4" Black CCAW

# SUBWOOFER

## BQ SERIES



Aluminium Basket

Foam Surround

Non Pressed Paper Cone

Fibre Glass Dustcap

### SPECIFICATIONS

	RS-BQ12	RS-BQ8
Size (inc)	12"	8"
RMS Power	1200 W	500 W
Impedance	D2/D4 Ohm	D2/D4 Ohm
Voice Coil Size	3" Copper	2" Copper



# SUBWOOFER

## VQ SERIES

Aluminium Basket

Foam Surround



Fibre Glass Dustcap

Carbone Fibre Cone



SPECIFICATIONS	RS-VQ15	RS-VQ12
Size (inc)	15"	12"
RMS Power	3500 W	3000 W
Impedance	D1/D2 Ohm	D1/D2 Ohm
Voice Coil Size	4"CCA W	4"CCA W

# SUBWOOFER

## QX SERIES

Foam Surround

Carbone fiber and paper composite Cone

Carbone Dustcap

Aluminium Basket



### SPECIFICATIONS

RS-QX15

RS-QX12

	RS-QX15	RS-QX12
Size (inc)	15"	12"
RMS Power	2200 W	1750 W
Impedance	D2/D4 Ohm	D2/D4 Ohm
Voice Coil Size	3"CCA W	3"CCA W

# MIDRANGE



# MIDRANGE NX SERIES

Steel Basket

**SPECIFICATIONS** RS-M85NX RS-M69NX RS-M65NXPRO

Size (inc)	8"	6x9"	6"
RMS Power	200 W	120 W	145 W
Impedance	4 Ohm	4 Ohm	4 Ohm
Voice Coil Size	1,5"CCAW	1,2"CCAW	1,2"CCAW

RS-M8NX RS-M6NX RS-M5NX RS-M4NX

8"	6"	5"	4"
120 W	100 W	80 W	40 W
4 Ohm	4 Ohm	4 Ohm	4 Ohm
1,2"CCAW	1"CCAW	1"CCAW	1"CCAW

Paper Dustcap

Non Pressed Paper Cone

Cloth Surround



# MIDRANGE VB SERIES

SPECIFICATIONS	RS-M84VB	RS-M82VB	RS-M102VB	RS-MB82VB
Size (inc)	8"	8"	10"	8"
RMS Power	375 W	300 W	550 W	500 W
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm
Voice Coil Size	2" Copper	1,75" Copper	2,5" Copper	2,5" Copper



Cloth Surround

Aluminium Basket




Reinforced Pulp Paper

Paper Dustcap



# MIDRANGE

## NEODYMIUM MAGNET



Steel Basket



Cloth Surround

Non Pressed Paper Cone

Paper Dustcap

### SPECIFICATIONS RS-M84VB NEO

Size (inc)	8"
RMS Power	400 W
Impedance	4 Ohm
Voice Coil Size	2"CCA

# MIDRANGE AX SERIES



Cloth Surround

Black Non Press Paper Cone

Paper Dustcap

Aluminum Basket



SPECIFICATIONS	RS-M88AX	RS-M68AX
Size (inc)	8"	6,5"
RMS Power	350 W	250 W
Impedance	4 Ohm	4 Ohm
Voice Coil Size	2"Copper	1,75"Copper

# MIDRANGE EX SERIES



SPECIFICATIONS	RS-M87EX	RS-M81EX	RS-M65EX	RS-M62EX	RS-M69EX	RS-M5EX
Size (inc)	8"	8"	6,5"	6,5"	6x9"	5"
RMS Power	300 W	200 W	180 W	120 W	180 W	60 W
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm	4 Ohm	4 Ohm
Voice Coil Size	1,75" CCAW	1,5" CCAW	1,5" CCAW	1,2" CCAW	1,5" CCAW	1" CCAW




# AMPLIFIERS



# QR AMPLIFIERS

## QR SERIES

CLASS A/B HI-FI AMPLIFIERS



SPECIFICATIONS	RS-SQR4150.4Q	RS-SQR4110.4Q
RMS Power	2 Ohm@ 220 Watts x 4 4 Ohm@ 150 Watts x 4	2 Ohm@ 220 Watts x 4 4 Ohm@ 120 Watts x 4

Subwoofer Connection

FRONT SPEAKER

REAR SPEAKER



**REISS**

**REISS**

**REISS**

**REISS**

**REISS**

**REISS AUDIO**

# F AMPLIFIERS

## FSERIES

### FULL RANGE AMPLIFIERS

SPECIFICATIONS	RS-F13000.1D	RS-F8000.1D	RS-F5000.1D	RS-F3000.1D
RMS Power	1 Ohm@ 13000 Watts x1 2 Ohm@ 6500 Watts x1 4 Ohm@ 3300 Watts x1	1 Ohm@ 8000 Watts x1 2 Ohm@ 3000 Watts x1 4 Ohm@ 2100 Watts x1	1 Ohm@ 5000 Watts x1 2 Ohm@ 2600 Watts x1 4 Ohm@ 1600 Watts x1	1 Ohm@ 3000 Watts x1 2 Ohm@ 1600 Watts x1 4 Ohm@ 950 Watts x1



CROSSOVER CONTROLS

POWER INPUT

# AE SERIES AMPLIFIERS

SPECIFICATIONS	RS-AE2500.1D	RS-AE2400.8D	RS-AE1800.5D
Channel Mode	1	8	5
RMS Power	1 Ohms @ 2500 Watts x 1 2 Ohms @ 2000 Watts x 1 4 Ohms @ 1250 Watts x 1	2 Ohm @ 300Wx8CH 4 Ohm @ 200Wx8CH 4 OHM Bridged 600Wx4CH	4 Ohm @ 125 Watts x 4 + 350 Watts x 1 2 Ohm @ 200 Watts x 4 + 600 Watts x 1 1 Ohm @ Sub Channel 1000 Watts

RS-AE1800.4D	RS-AE1200.6D	RS-AE1000.4D	RS-AE1500.1D
4	6	4	1
4 Ohm @ 300 Watts x 4 2 Ohm @ 450 Watts x 4 4 Ohm Bridged 900 Watts x 2	4 Ohm @ 125 Watts x 6 2 Ohm @ 200 Watts x 6 4 Ohm Bridged 400 Watts x 3	4 Ohm @ 150 Watts x 4 2 Ohm @ 250 Watts x 4 4 Ohm Bridged 500 Watts x 2	1 Ohms @ 1500 Watts x 1 2 Ohms @ 1000 Watts x 1 4 Ohms @ 700 Watts x 1



# Z AMPLIFIERS

## Z SERIES

SPECIFICATIONS RS-Z2000.1D RS-Z1500.1D RS-Z1000.1D RS-Z700.1D

Channel Mode	1	1	1	1
RMS Power	1 Ohm @ 2000 W 2 Ohm @ 1250 W 4 Ohm @ 780W	1 Ohm @ 1500 W 2 Ohm @ 930 W 4 Ohm @ 580W	1 Ohm @ 1000 W 2 Ohm @ 620 W 4 Ohm @ 390W	1 Ohm @ 700 W 2 Ohm @ 430 W 4 Ohm @ 270W

RS-Z200.4D

RS-Z300.4D

RS-Z400.4D

RS-Z475.4D

RS-Z550.4D

4	4	4	4	4
2 Ohm @ 300W x 4CH 4 Ohm @ 200W x 4CH 4 Ohm BRIDGED 600W X 2CH	2 Ohm @ 450W x 4CH 4 Ohm @ 300W x 4CH 4 Ohm BRIDGED 900W X 2CH	2 Ohm @ 600W x 4CH 4 Ohm @ 400W x 4CH 4 Ohm BRIDGED 1200W X 2CH	2 Ohm @ 760W x 4CH 4 Ohm @ 475W x 4CH 4 Ohm BRIDGED 1520W X 2CH	2 Ohm @ 900W x 4CH 4 Ohm @ 550W x 4CH 4 Ohm BRIDGED 2100W X 2CH



# MARINE



# MARINE



**HIGH POWER  
WATERPROOF SUBWOOFER**

**WATERPROOF  
STEREO SPEAKER**



**SPECIFICATIONS** RS-MTW1037W RS-MTW6535C RS-MTW8035C

Size (inc)	10"	8"	8"
MAX Power	1000 W	400 W	450 W
Impedance	4/4 Ohm	4 Ohm	4 Ohm
Voice Coil Size	2"CCA	1,2"CCA	1,5"CCA

**COLOR OPTION: White/Gray**



# MARINE

HIGH POWER  
WATERPROOF SUBWOOFER

SPECIFICATIONS RS-MTW6551 RS-MTW8051

Size (inc)	6,5"	8"
RMS Power	175W	200 W
Impedance	4 Ohm	4 Ohm
Voice Coil Size	1,4"CCA	1,5" CCA



COLOR OPTION: White/Black

# DSP SOLUTION



# DSP SOLUTION

## PURE DSP

### SPECIFICATIONS

RS-DSP12 V2

RS-DSP8 V2

Channel Mode

4 in 12 out RCA

6 in 8 out RCA

Optical / Coaxial / High Input



External BT Module  
LCD Screen DRC



# ACCESSORIES



# ACCESSORIES

**RS-RMVT**  
Remote Level Control  
With Built-in Volt Meter



**RS-HTL2**  
2 CHANNEL Deck Converter  
RCA Level Output with Ground Isolation



**RS-GR2F1M**  
2 Female / 1 Male RCA Splitter  
100% Copper Cable, Braided  
Single-Unit Package



**RS-GW05**  
5 M Silicone RCA Cable  
100% Copper Conductor  
Single-Unit Package

**RS-HTL9**  
4 CHANNEL Deck Converter  
RCA Level Output with Ground Isolation



**RS-CAP8F**  
8 Farad Capacitor



**RS-YM3**  
5 mm x 500 mm x 800 mm Multi,  
Layer Sound Insulation Sheet,  
Aluminum Foil, 2 mm Butyl Rubber,  
3 mm White Rubber Foam,  
Pack of 4 Pieces



**RS-PC8GA**  
100% Copper Cable  
50 Meter



**RS-DB7**  
3+1 Power Distribution Block



**RS-3AFS1**  
100A FUSE BOX

*Since 1985*  
**REISS AUDIO**



[www.reissaudio.com.tr](http://www.reissaudio.com.tr)