




OWNER'S MANUAL

**SHALLOW SUBWOOFER ENCLOSURE
WITH 10" SUBWOOFER
RS-PBX10HS.S4**



BLACK CARPET

Since 1985
TURKISH ENGINEERING

SHALLOW SUBWOOFER ENCLOSURE

GENERAL SPECIFICATIONS

Speaker Type & Size	10" Subwoofer (262mm)
RMS Power Handling	200W
MAX Power Handling	400W
Sensitivity (1w/1m)	88db
Frequency Response	35~250Hz

SPEAKER SPECIFICATIONS

Voice Coil Diameter	2" / (50.95mm)
Voice Coil Former Material	Aluminium
Winding Material	Copper
Cone Material	Paper
Surround Material	Foam
Basket Material	Steel
Magnet Material	Ferrite
Magnet Weight	46.5oz

ENCLOSURE SPECIFICATIONS

Internal Volume	15.6L
Load Configuration	4 Ohm
Enclosure Type	Sealed Enclosure
Enclosure Material	15mm
Finish Material	Black Carpet
-3dB Dropping Point	35Hz



MEASUREMENTS

Overall Height	330mm/12.99"
Overall Width	370mm/14.75"
Depth 1 (Top)	200mm/7.87"
Depth 2 (Bottom)	200mm/7.87"



SHALLOW SUBWOOFER ENCLOSURE

MEASUREMENTS





**FOR MORE INFORMATION
PLEASE VISIT**

Join Our Community



www.reissaudio.com.tr